

Amendments to the Claims:

Please cancel claim 11, amend claims 17, 18 and 20, and add claims 21-24, as shown in the following listing of claims. This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) A skylight comprising:

a main body being arched and having an apex, a base, a first length at substantially the apex and a second length at the base, wherein the first length is less than the second length and;

first and second end portions being disposed at first and second ends of the main body, respectively, each of the end portions having a top section and a bottom section, wherein the top sections define the first length and the bottom sections define the second length; and

a plurality of corrugations disposed on the main body.
2. (Original) The skylight as recited in claim 1, wherein the base defines the width of the skylight.
3. (Original) The skylight as recited in claim 1, wherein the base is in the form of a rectangle.
4. (Original) The skylight as recited in claim 1, wherein the main body is arched along the longitudinal axis of the main body.
5. (Original) The skylight as recited in claim 1, wherein the main body is arched in the shape of a parabola.

6. (Original) The skylight as recited in claim 1, wherein the main body has an attachment flange.
7. (Original) The skylight as recited in claim 1, wherein at least one of the main body, the first and second end portions, and the plurality of corrugations is made from a light-transmitting material.
8. (Original) The skylight as recited in claim 7, wherein the light-transmitting material is plastic.
9. (Original) The skylight as recited in claim 7, wherein the skylight is formed using a press mold.
10. (Original) The skylight as recited in claim 7, wherein the light-transmitting material is prismatic.
11. (Canceled)
12. (Original) The skylight as recited in claim 1, wherein at least one of the plurality of corrugations is aligned substantially perpendicular to the longitudinal axis.
13. (Original) The skylight as recited in claim 1, wherein at least one of the plurality of corrugations has a generally sinusoidal shape.
14. (Original) The skylight as recited in claim 1, wherein at least one of the end portions is planar.
15. (Original) The skylight as recited in claim 1, wherein at least one of the end portions has at least one corrugation.

16. (Original) The skylight as recited in claim 1, wherein at least one of the end portions is integral with the main body.

17. (Currently Amended) A ~~window~~ skylight comprising:

a main body being arched and having first and second ends and a midpoint;

first and second end portions being disposed at the first and second ends of the main body, respectively, wherein at least a section of at least one of the end bodies slopes toward the midpoint of the main body; and

a plurality of corrugations disposed on the main body.

18. (Currently Amended) The skylight as recited in claim 17, wherein at least one of the end portions slopes toward the midpoint at an angle of about 45 degrees relative to a base of the main body.

19. (Original) A skylight comprising:

a main body being arched along its longitudinal axis and having an apex, a base, a midpoint, a first length at substantially the apex and a second length at the base, wherein the first length is less than the second length;

first and second end portions being substantially planar, integral to the main body, and disposed at first and second ends of the main body, respectively, wherein each of the end portions slopes toward the main body at substantially 45 degrees relative to the base and having a top section and a bottom section, wherein the top sections define the first length and the bottom sections define the second length; and

a plurality of corrugations disposed on the main body orientated perpendicular to the longitudinal axis of the main body.

20. (Currently Amended) The skylight as recited in claim 17, wherein the main body is arched along ~~an axis perpendicular to its longitudinal axis~~ the longitudinal axis of the main body.

21. (New) The skylight of claim 1, wherein the corrugations are oriented perpendicularly to longitudinal axis of the skylight.

22. (New) The skylight of claim 1, wherein the corrugations are capable of transmitting sunlight having a low angle of incidence.

23. (New) The skylight of claim 1, wherein portions of the corrugations are oriented substantially perpendicularly to sunlight having a low angle of incidence.

24. (New) The skylight of claim 1, wherein the corrugations are angled to increase the angle of incidence of sunlight striking the corrugations.